



## PALM INTRANET

Day : Friday  
Date: 8/8/2003  
Time: 15:39:51

## Inventor Name Search Result

Your Search was:

Last Name = ROMINE

First Name = MICHAEL

Application#	Patent#	Status	Date Filed	Title	Inventor Name
<u>09821618</u> <i>Correct Application</i>	Not Issued	071	03/29/2001	FLOATING HEAD LIQUID DISPENSER WITH DISPENSING HEAD SENSOR	ROMINE, MICHAEL J.
<u>09436297</u>	6234358	150 ✓	11/08/1999	FLOATING HEAD LIQUID DISPENSER WITH QUICK RELEASE AUGER CARTRIDGE	ROMINE , MICHAEL J.
<u>08946296</u>	5947466	150 ✓	10/07/1997	CONTINUOUS BELT DRIVE PAPER FEED SYSTEM	ROMINE , MICHAEL J.
<u>08357870</u>	5491555	150 ✓	12/16/1994	MEASUREMENT REFERENCING AND TRANSFERRING INSTRUMENT	ROMINE , MICHAEL L.
<u>08170713</u>	Not Issued	164	12/21/1993	MEASUREMENT REFERENCING AND TRANSFERRING INSTRUMENT	ROMINE , MICHAEL

Inventor Search Completed: No Records to Display.

Search Another: Inventor

Last Name	First Name
<input type="text" value="ROMINE"/>	<input type="text" value="MICHAEL"/>

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

L Number	Hits	Search Text	DB	Time stamp
1	168	(118/713).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/08 14:17
2	9	(118/714).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/08 14:17
3	1175	(118/712).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/08 14:17
4	213	(118/669).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/08 14:18
5	385	(118/708).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/08 14:18
6	21	118/\$.ccls. and (linear near3 encoder)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/08 14:18
7	81	118/\$.ccls. and (gap near3 measur\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/08 14:18
8	1	118/\$.ccls. and (gap near3 encoder)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/08 14:18
9	2	118/\$.ccls. and (height near3 encoder)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/08 14:18
10	60	(dispens\$5) and (linear near3 encoder) and (robot\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/08 14:18
11	11	222/\$.ccls. and (linear near3 encoder)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/08 14:18
12	24	222/\$.ccls. and (gap near3 measur\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/08 14:18



13	757	((222/41) or (222/45) or (222/46) or (222/47) or (222/49) or (222/50)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/08 14:18
14	172	(239/73).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/08 14:18
15	40	(dispens\$5) and (linear near3 scale) and (robot\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/08 14:18
16	466	(optical) and (linear near3 scale) and (encoder)	USPAT	2003/08/08 14:19
17	54	(optical) and (linear near3 scale) and (encoder) and robot\$3	USPAT	2003/08/08 14:19
18	13	controller and (linear near3 encoder) and (alert) and robot\$3	USPAT	2003/08/08 14:19
19	12	controller and (linear near3 encoder) and (alarm) and robot\$3	USPAT	2003/08/08 14:19
20	641	(optical) and (linear near3 scale) and (encoder)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/08 14:19
21	16	computer and (linear near3 encoder) and (alarm) and robot\$3	USPAT	2003/08/08 14:19
22	147	(computer or controller) and (position near3 encoder) and (alarm or alert or warning or warn) and robot\$3	USPAT	2003/08/08 14:19